




Flora 490  
Art. Nr. 1009529 / 2839650  
1/7







Groundplan - Grundplan - Plan de masse - Planimetria - Plattegrond - Põhiplaan




























Art.Nr. 2839650















Art.Nr. 2839650





| Pos   | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel<br>04.10.2017 Art.Nr. 2839650 5/7                                                                                                                                               | Q  | P<br>(mm) | L<br>(mm) |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----------|-----------|
| 001   |                                                                                                                                                                              | 2  | 28x57     | 723       |
| 002   |                                                                                                                                                                              | 32 | 28x114    | 723       |
| 003   |                                                                                                                                                                              | 3  | 28x114    | 2836      |
| 004   |                                                                                                                                                                              | 3  | 28x114    | 2064      |
| 005   |                                                                                                                                                                              | 1  | 28x57     | 2950      |
| 006   |                                                                                                                                                                              | 1  | 28x57     | 1916      |
| 007   |                                                                                                                                                                              | 47 | 28x114    | 2950      |
| 008   |                                                                                                                                                                              | 15 | 28x114    | 1916      |
| 012   |                                                                                                                                                                              | 16 | 28x114    | 900       |
| WA-1  |                                                                                                                                                                            | 1  |           |           |
| WB-1  |                                                                                                                                                                           | 1  |           |           |
| WC-1  |                                                                                                                                                                           | 1  |           |           |
| A-PR1 | Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärlin<br>                                                                              | 3  | 44x140    | 2836      |
| A-PR2 | Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärlin<br>                                                                              | 3  | 44x140    | 2064      |
| DB    | Roof boards - Dachbretter - Voliges - Perlina per tetto - Dakhout - Katuselaud<br>                                                                                       | 55 | 90x15     | 3100      |
| DPL1  | Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Katusepapiiliist<br> | 2  | 15x45     | 2465      |
| DPL2  | Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Katusepapiiliist<br> | 2  | 15x45     | 3120      |
| DPP-1 | Roofing felt (strip) - Dachpappe (bahnen) - Feutre bitumeux (bande) - Cartone catramato - Asfaltpapier (baan) - Katusepapp<br>                                           | 4  |           | 5000      |
|       | Post - Pfoften - Poteau - Piede registrabile - Stijl - Post<br>                                                                                                          | 1  | 90x90     | 1730      |
|       | H-profile - H-profiils - Profile h - Profilo ad h - H-profiel - H-profiil<br>                                                                                            | 1  | 90x58     | 1825      |
| DRV-1 | Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Räästatugevdus<br>                        | 2  | 15x45     | 2450      |
| DRV-2 | Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Räästatugevdus<br>                        | 2  | 28x34     | 2450      |
| KFS-1 | Storm protection - Sturmleiste - Latte anti-tempete - Protezione anti vento - Stormverankering / beveiliging - Tormikinnitusliist<br>                                     | 5  | 22x45     | 2050      |


| Pos  | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel<br>04.10.2017 Art.Nr. 2839650 6/7                                                                                                                                                                                                                                       | Q   | P<br>(mm) | L<br>(mm) |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|-----------|
|      | U-profile - U-profiils - Profile u - Profilo ad u - U-profiel - U-profiil                                                                                                                                                                                          | 1   | 28x58     | 1780      |
| GM-2 | Gable moulding - Giebelleiste - Planche de rive - Finitura per frontale e retro del tetto - Gevellijst - Viilulaud                                                                                                                                                 | 2   | 15x120    | 2450      |
| GM-1 | Gable moulding - Giebelleiste - Planche de rive - Finitura per frontale e retro del tetto - Gevellijst - Viilulaud                                                                                                                                                 | 2   | 15x120    | 3165      |
| HS9  | Screw for u-profile - Schraube zur befestigung u-profiils - Vis a tete fraisée pour profil u - Vite per profilo ad u - Schroef ter bevestiging u-profiel - Kruvi U-profiilile                                                                                      | 5   | 3.5x50    |           |
| HS9  | Screw for gable moulding - Schrauben für giebelleiste - Vis pour fixation planche de rive - Vite per fissare finiture davanti e dietro del tetto - Schroef voor gevellijst - Kruvi viilulauale                                                                     | 20  | 3.5x50    |           |
| HS4  | Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour fixation corniere renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor dakrand versterking - Kruvi räästatugevdusele                                              | 12  | 3x30      |           |
| HS14 | Screw for post - Schrauben für pfosten - Vis de fixation des poteaux - Viti per inviare - Schroef voor stijlen - Kruvi postile                                                                                                                                     | 2   | 4.5x80    |           |
| HS12 | Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour fixation corniere renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor dakrand versterking - Kruvi räästatugevdusele                                              | 12  | 4x40      |           |
| HS12 | Screw for gable moulding - Schrauben für giebelleiste - Vis pour fixation planche de rive - Vite per fissare finiture davanti e dietro del tetto - Schroef voor gevellijst - Kruvi viilulauale                                                                     | 12  | 4x40      |           |
| HS13 | Screw for h-profile - Schraube zur befestigung h-profiils - Vis a tete fraisée pour profil h - Vite per profilo ad h - Schroef ter bevestiging h-profiel - Kruvi H-profiilile                                                                                     | 1   | 4x60      |           |
| HS18 | Screw for roof beams - Schrauben für dachbalken - Vis pour fixation pannes de toit - Viti per perline del tetto - Schroef voor gordingen / dakbalken - Kruvi pärlinitele                                                                                         | 12  | 5x120     |           |
| HS18 | Screw for wall details - Schraube für wand details - Vis pour mur details - Viti per elementi della porta - Schroef voor wand details - Kruvi seinadetailidele                                                                                                   | 6   | 5x120     |           |
| HS18 | Screw for gable - Schrauben für giebel - Vis pour fixation des pignons - Viti per timpano - Schroef voor gevelpunt - Kruvi viilude kinnitamiseks                                                                                                                 | 6   | 5x120     |           |
| HS20 | Screw for post height adjustment - Schrauben für regulierungsschraube für pfosten - Vis de fixation de support réglable de poteau - Viti per fissare ed aggiustare l'altezza del palo verticale - Schroef voor hoogte instelling stijlen - Kruvi vajumispoldile  | 8   | 6x50      |           |
| SH28 | Hammer block - Schlagholz - Calle de frappe - Blocco di legno da usare come cuscinetto quando si usa il martello - Slagklos - Löögiklots                                                                                                                         | 1   |           |           |
| SFS  | Nut for storm protection - Schraubenmutter für sturmleiste - Ecrou pour latte anti-tempete - Dado x asta protezione vento - Moer voor stromverankering - Mutter tormikinnitusliistule                                                                            | 10  | D6        |           |
| NF4  | Zn nail for roof - Zn nagel für dachbretter - Pointe pour fixation voliges de toit - Chiodi x perline tetto - Spijker(nagel) voor dakhout - Nael katuselauale                                                                                                    | 292 | 2x50      |           |
| NF5  | Zn nail for roofing felt fillet - Zn nagel für dachpappenleiste - Pointe pour baguette de fixation feutre bitumeux - Chiodi x carta bituminosa x tetto - Spijker(nagel) voor asfaltpapier afdekljst - Papilistunael                                              | 28  | 2x40      |           |
| NF6  | Roofing nails for roofing felt - Nägel für dachpappe - Pointe pour fixation feutre bitumeux - Chiodi per cartone catramato - Asfaltnagel - Papinael                                                                                                              | 170 | 2.8x15    |           |
| BFS  | Bolt for storm protection - Bolzen für sturmleiste - Boulon pour latte anti-tempete - Bullone x asta protezione vento - Bout voor stormankerlat - Puidupolt tormikinnitusliistule                                                                                | 10  | 6x60      |           |
| DFS  | Washer for storm protection - Dichtscheibe für sturmleiste - Rondelle pour latte anti-tempete - Rondella x asta protezione vento - Afdichtring voor storm strip - Seib tormikinnitusliistule                                                                     | 10  | D6        |           |
|      | Post height adjustment - Regulierungsschraube für pfosten - Support réglable de poteau - Piede registrabile in altezza - Stelschroef voor stijlpost - Vajumispolt                                                                                                | 1   | D20       |           |
|      | Door - Tür - Porte - Deur - Uks 1494x1850 TUK.2.056.SVP.MMX28 SGA+28                                                                                                                                                                                                                                                                                  | 1   |           |           |

| Pos  | 04.10.2017 | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Joonis<br>14 94x1850 TUK.2.056.SVP.MMX28 SGA+28                                                                                                                                                                  | 7/7                                                                                   | Q  | P<br>(mm) | L<br>(mm) |
|------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|-----------|-----------|
| HS1  |            | Screw for georgian bars - Schraube für sprossen - Vis pour croisillons - Viti per unire la griglia georgiana della finestra - Schroeven voor raamverdeling - Kruvi ukse petfeliistule                                                                                                |    | 12 | 2.5x20    |           |
| HS9  |            | Screw for fixing door to the wall - Schraube zur befestigung für - zarge mit wand - Vis de fixation partie basse dormants de porte au 1er rang de madrier - Viti per fissare la porta alla parete - Schroef voor bevestiging deur naar wand - Kruvi ukse lengl kinnitamiseks seinale |    | 2  | 3.5x50    |           |
| HS4  |            | Screw for door fillet - Schraube zur befestigung türleiste - Vis pour fixation baguette d'arret de porte - Viti per massellino della porta - Schroef voor deurlijst - Kruvi ukse kokkuvaltsiliistule                                                                                 |    | 5  | 3x30      |           |
| HS11 |            | Screw for fixing bolt hinge - Schraube für türband - Vis pour fixation gonds de porte - pour ouvrant - Viti per fissaggio cardini e cerniere della porta - Schroef voor scharnier - Kruvi ukse polthingele                                                                           |    | 16 | 4x30      |           |
| HS12 |            | Screw for fixing bolt hinge - Schraube für türband - Vis pour fixation gonds de porte - pour ouvrant - Viti per fissaggio cardini e cerniere della porta - Schroef voor scharnier - Kruvi ukse polthingele                                                                           |    | 12 | 4x40      |           |
| HS13 |            | Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile                                                                                         |    | 2  | 4x60      |           |
| HS16 |            | Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile                                                                                         |    | 2  | 5x90      |           |
| HS25 |            | Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule                                                                                                                              |    | 3  | 4.5x65    |           |
|      |            | Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Polthing adapteriga DIN15-57                                                                                                                                       |    | 4  |           |           |
| TL   |            | Latch bolt for double door - Türriegel - Loquet pour double porte - Scrocco per porta doppia - Nachtslot - Riiv                                                                                                                                                                      |   | 2  |           |           |
| TL4  |            | Door handle fittings - Türgriff - Poignee de porte - Maniglie - Deurhendel / klink - Ukse käepide                                                                                                                                                                                    |  | 1  |           |           |
| TL5  |            | Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat                                                                                                                                                   |  | 1  |           |           |
|      |            | Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik                                                                                                                                                                                   |  | 1  | 30x30     |           |





Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 502x750 mm



1418x1793



# Allgemeine Montageanleitung - General assembly instructions - Instructions g n rales de montage

| Pos | Piece list - St ckliste - Liste des pi ces                                            | Q. | P<br>(mm) |
|-----|---------------------------------------------------------------------------------------|----|-----------|
| 1   |    | 1  | 66x100    |
| 2   |    | 2  | 66x80     |
| 3   |    | 1  | 19x20     |
| 4   |    | 1  | 13x32     |
| 5   |  | 6  | 15x25     |
| 6   |  | 2  |           |
| 7   |  | 4  |           |

